

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22870

Stream : Lick Creek

Applicant : Indianapolis Power & Light
Gary Finchum
3700 South Harding Street
Indianapolis, IN 46217-3333

Description : A 0.1 acre area will be filled in the north floodplain of Lick Creek for the construction of entrance and exit gates, a 10' x 16' guard house, and six parking spaces. The fill will vary in depth from 0' on the streamward side where the proposed fill meets the existing access drive to 1.7' on the landward side. The fill will be set back from the channel of Lick Creek approximately 110'. The finished elevation of the fill pad will be 681', NGVD. The fill material will be clean fill. The finished floor of the guard house will be 682', NGVD. In addition, the existing 24' wide and 407' long gravel road will be paved. There are areas along the access road where a maximum of 1' of clean fill will be placed. Details of the project are contained in information received electronically at the Division of Water on May 5, 2004 and in plans and information received at the Division of Water on May 14, 2004 and August 16, 2004.

Location : Approximately 500' downstream of the South Harding Street stream crossing
DOWNSTREAM: at Indianapolis, Perry Township, Marion County
NE¼, SE¼, SW¼, Section 27, T 15N, R 3E, Maywood Quadrangle
Quad Code: 3908662
UTM Coordinates: Downstream 4395667 North, 569505 East
UPSTREAM:
UTM Coordinates: Upstream 4395673 North, 569544 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23002

Stream : Little Buck Creek

Applicant : Buckingham Properties
Scott Travis
333 North Pennsylvania Street
10th Floor
Indianapolis, IN 46204-1821

Description : The proposed project is to construct 324 multi-family residential units with associated improvements including a clubhouse, pool, detention ponds, 18" diameter storm sewer, maintenance building, garages, parking lots, and roadways. Additionally, it will be necessary to place fill on the site. Details of the project are contained in information and plans received at the Division of Water on July 21, 2004.

Location : On the south overbank of Little Buck Creek beginning approximately 700' upstream of the Emerson Avenue stream crossing and continuing upstream approximately 1400'
DOWNSTREAM: near Indianapolis, Franklin Township, Marion County
SW¼, Section 10, T 14N, R 4E, Beech Grove Quadrangle
Quad Code: 3908661
UTM Coordinates: Downstream 4391254 North, 578921 East
UPSTREAM: Marion County

UTM Coordinates: Upstream 4391348 North, 579336 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23003

Stream : Cedar Creek

Applicant : Lake County Highway Department
Duane A Alverson
1100 East Monitor Street
Crown Point, IN 46307-3521

Description : The existing single-span steel beam bridge carrying 171st Avenue over Cedar Creek will be replaced with a new 3 span prestressed concrete box beam bridge with span lengths of 26.25', 27.75', and 26.25'. The structure will have an out-to-out length of 83.5' and a clear roadway width of 30'. The spill through abutments will have 2:1 sideslopes armored with revetment riprap over geotextile. The abutments and piers will be skewed 27 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 4' above the existing approaches. The existing structure will be completely removed. Details of the project are contained in information and plans received at the Division of Water on July 21, 2004.

Location : at the 171st Avenue crossing
near Lowell, Cedar Creek Township, Lake County
SE¼, NW¼, SW¼, Section 13, T 33N, R 9W, Lowell Quadrangle
Quad Code: 4108734
UTM Coordinates: Downstream 4572823 North, 465957 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23011

Stream : Yellow Creek

Applicant : Joyce E Paxton
10020 South Loon Lake Drive
Silver Lake, IN 46982-9262

Description : The existing 5.5' diameter x 25' long culvert will be replaced with a new culvert system to reduce upstream flood damages. The new crossing will consist of a 6' diameter x 30' long culvert with straight ends. The new culvert will be placed on floor of the ditch as old culvert. Minor channel shaping will occur both downstream and upstream of the new culvert to improve the flow transition at the crossing. The shaping will be confined to the construction right-of- way. The reshaped areas will be stabilized with an rip rap/concrete/stones. The roadway will be elevated approximately 1' above the existing road elevations. Details of the project are contained in information received electronically at the Division of Water on July 28, 2004.

Location : 10020 South Loon Lake Drive; immediately upstream of the Loon Lake control structure
near Silver Lake, Seward Township, Kosciusko County
NE¼, NE¼, NE¼, Section 4, T 30N, R 5E, Silver Lake Quadrangle
Quad Code: 4108518
UTM Coordinates: Downstream 4548228 North, 586868 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23016

Stream : Henderson Lake Ditch

Applicant : *Indiana Department of Transportation
Carole Korbly Scott
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2249

Description : The existing 28' single span reinforced concrete girder bridge carrying US 6 over the stream will be replaced with a 14' span and 10' rise pre-cast reinforced concrete three-sided structure on the same alignment. This is part of a project to add travel lanes to US 6. Riprap over geotextile fabric will be placed for a length of approximately 21' on both the upstream and downstream banks. Details of the project are contained in information and plans received at the Division of Water on August 3, 2004.

Location : At the US 6 stream crossing
near Kendallville, Wayne Township, Noble County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 29, T 35N, R 11E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4590176 North, 643311 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23017

Stream : Indian Creek

Applicant : *Indiana Department of Transportation
Carole Korbly Scott
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2249

Description : The existing north and southbound lane bridges carrying State Road 37 over Indian Creek will be rehabilitated by milling and cleaning the bridge decks, removing and replacing 5 feet of each end of the bridge floors, replacing the approach slabs, replacing the existing bridge and approach railings, and replace riprap over geotextile around the piers. The clear roadway width of the repaired northbound structure will be 38'-6" including two (2) 12' wide traffic lanes and the inside and outside shoulders. The clear roadway width of the repaired southbound structure will be 39'-6" again including two (2) 12' wide traffic lanes and inside and outside shoulders. Details of the project are contained in plans and information received at the Division of Water on August 3, 2004.

Location : At the State Road 37 dual bridges over Indian Creek
near Martinsville, Washington Township, Morgan County
NW¼, SE¼, NE¼, Section 18, T 11N, R 1E, Martinsville Quadrangle
Quad Code: 3908644
UTM Coordinates: Downstream 4360550 North, 546500 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23022

Stream : Coffee Bayou

Applicant : PSI Energy, Inc
Gary Etolen, Project Manager
Gibson Generating Station
RR 1 Box 300
Owensville, IN 47665-9747

Description : Fill will be added to approximately 7500' of the outslope of the Gibson Generating Station Cooling Pond Dam to increase the crest width to 40' facilitating its future use as an access road. The proposed modification will raise the height of the dam by less than 1'. Details of the project are contained in information and plans received at the Division of Water on August 4, 2004.

Location : Along the west side of Gibson Generating Station Cooling Pond, beginning approximately 2000' south of the north section line (of Section 8) and 750' east of the west section line and continuing south along the dam approximately 7500'
DOWNSTREAM: near Skelton, Montgomery Township, Gibson County
W½, Section 8, T 2S, R 12W, Keensburg, IL-IN Quadrangle
Quad Code: 3808737
UTM Coordinates: Downstream 4243685 North, 432205 East
UPSTREAM: W½, Section 17, T 2S, R 12W

UTM Coordinates: Upstream 4245705 North, 432020 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23041

Stream : Ohio River

Applicant : Indiana Gaming Company, L.P.
Paul Keller
219 Piasa Street
Alton, IL 62002

Description : Approximately 10,000 cubic yards of silt will be dredged around the existing gaming boat. The dredging will be performed by a barge mounted excavator. Silt that is not accessible by excavator will be jetted out from under fixed barges by divers. The excavated material will be placed on enclosed hopper barges and hauled offsite disposal area. A silt boom with a 24" curtain will be placed at the mouth of the slip. Details of the project are contained in information and plans received at the Division of Water on August 11, 2004.

Location : Along the right (north) bank, approximately 5300' downstream (southwest) of the US Route 275 bridge
near Lawrenceburg, Lawrenceburg Township, Dearborn County
E½, Section 14, T 5N, R 1W, Lawrenceburg, KY-IN-OH Quadrangle
Quad Code: 3908417
UTM Coordinates: Downstream 4329695 North, 686580 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23042

Stream : East Fork White River

Applicant : Lawrence County Board Of Commisioners
Robert Dillon
1 County Complex Road
Bedford, IN 47421-7491

Description : The existing covered bridge will be converted to pedestrian and bicycle use only. The north approach road will be raised 5' in order to meet requirements of the Americans with Disabilities Act. In addition, an approximately 100' x 40' parking area will be provided on the north end of the bridge. No work will be done in the channel. Details of the project are contained in information and plans received at the Division of Water on August 16, 2004.

Location : At the Williams Covered Bridge river crossing
near Williams, Spice Valley Township, Lawrence County
SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 8, T 4N, R 2W, Williams Quadrangle
Quad Code: 3808676
UTM Coordinates: Downstream 4294275 North, 529070 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23043

Stream : East Fork White River

Applicant : Lawrence County Board Of Commisioners
Robert Dillon
1 County Complex Road
Bedford, IN 47421-7491

Description : A new bridge will be constructed to carry the new Huron and Williams road alignment across the river. The new structure will be a five-span continuous prestressed concrete bulb-T beam or steel beam bridge with span lengths varying from 121' to 128'. The structure will have an out-to-out length of 633' and a clear roadway width of 31'. The spill through abutments will have 2:1 sideslopes armored with riprap over geotextile fabric. The abutments and piers will be skewed 35 degrees to align with streamflow. The approach roads will be elevated a maximum of 26' above the existing grade. The project is partially federally funded. Details of the project are contained in information and plans received at the Division of Water on August 16, 2004.

Location : Approximately 1100' downstream (northwest) of the existing covered bridge currently carrying Huron and Williams Road over the river near Williams, Spice Valley Township, Lawrence County NE¼, Section 7, T 4N, R 2W, Williams Quadrangle
Quad Code: 3808676
UTM Coordinates: Downstream 4294455 North, 528785 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23045

Stream : Unnamed Tributary White Lick Creek

Applicant : Platinum Properties
Kenneth R Brasseur
9551 Delegates Row
Indianapolis, IN 46240-3807

Description : Stormwater outfall structures will be constructed along the south and north banks of White Lick Creek Tributary No. 3 (Lingerman Regulated Drain) to provide a outfall pipe for retention ponds to be constructed within the Wynne Farms residential development. The proposed pipes will carry stormwater runoff from the Wynne Farms development, to the creek. All other parts of the Wynne Farms residential development, including said retention ponds, will be constructed landward of the floodway. A 18" and 36" reinforced concrete (RCP) outfall pipe will be buried to a depth of 5.5 ft and 6.0 ft, respectively, in the floodplain. The 18" RCP will be constructed for a distance of 48 ft within the regulatory floodway. The 36" RCP will be constructed for a distance of 440 ft within the regulatory floodway. The pipes will terminate with a reinforced concrete end section that will conform to the bank slope. A flapgate (will not be placed at the end of the pipe to prevent backflow into the on-site retention pond. An energy dissipator will be constructed at the base of the end section. The dissipator will consist of 6" diameter rock riprap, which will be installed to conform to the existing creek channel cross-section. Details of the project are contained in information received electronically at the Division of Water on August 17, 2004.

Location : The proposed 18" outfall will be located on the south bank of White Lick Creek Trib. No. 3, approximately 50 ft upstream of Co. Rd. 800 East. The 36" outfall will be located on the north bank of said creek, approximately 2300 ft upstream of Co. Rd. 200 North
NW 1/4 Sec. 36 & SW 1/4 Sec. 25, T-16-N, R-1-E, Brownsburg Quadrangle
near Avon, Washington Township, Hendricks County
Section 36, T 16N, R 1E, Brownsburg Quadrangle
Quad Code: 3908674

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19911

Lake : Adams Lake

Applicant : William W Wissman
4935 East 640 South
Wolcottville, IN 46795-8819

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's 100' frontage. The refacing will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on July 14, 2004 and July 27, 2004.

Location : 4935 East 640 South, seawall is located in front of cottage on Adams Lake (lot 27-29) Shady Cove addition
near Wolcottville, Johnson Township, LaGrange County
NW¼, SE¼, NE¼, Section 26, T 36N, R 10E, Wolcottville Quadrangle
Quad Code: 4108553
UTM Coordinates: Downstream 4600945 North, 639361 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19912

Lake : Adams Lake

Applicant : Stan Kleeberg
1123 West Shoaff Road
Huntertown, IN 46748-9305

Description : A concrete seawall will be constructed across the applicant's 42' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 14, 2004 and July 28, 2004.

Location : 4955 East 640 South, lot 30 in Shady Cove
near Wolcottville, Johnson Township, LaGrange County
NW¼, SE¼, NE¼, Section 26, T 36N, R 10E, Wolcottville Quadrangle
Quad Code: 4108553
UTM Coordinates: Downstream 4600927 North, 639383 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19913

Lake : Jimmerson Lake

Applicant : Timothy and Susan Iorio
8719 Big Cypress Circle
Sylvania, OH 43560-8919

Description : A 25' x 15' underwater beach will be constructed along the applicant's 50' frontage by placing a uniform 6" layer of pea gravel on the lakebed. An existing, deteriorated concrete seawall was recapped with concrete across the applicant's 50' frontage. Details of the project are contained in information and plans received at the Division of Water on July 14, 2004, July 24, 2004, August 3, 2004 and August 13, 2004.

Location : 155 Lane 101 DA
near Fremont, Jamestown Township, Steuben County
NE¼, SE¼, SW¼, Section 32, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4618465 North, 661454 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19915

Lake : Snow Lake

Applicant : Wanda Chapman
PO Box 142
Churubusco, IN 46723-0142

Description : A concrete seawall will be refaced with a layer of glacial stone across the applicant's 195' frontage. Details of the project are contained in information and plans received at the Division of Water on July 14, 2004 and July 24, 2004.

Location : 220 Lane 880, lots 11 & 12, Sprague's 2nd subdivision
near Angola, Jamestown Township, Steuben County
SW¼, NE¼, NW¼, Section 27, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4621118 North, 664347 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19918

Lake : Lake Wawasee

Applicant : William R Lesch
8121 Brent Avenue
Indianapolis, IN 46240-2725

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's frontage. The refacing will be keyed to the wall's lakeward face. In addition, a 34" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information and plans received at the Division of Water on July 16, 2004, and July 29, 2004.

Location : 6254 East Trusdell Avenue; Lot 6 in Grandview Park Addition
near Syracuse, Turkey Creek Township, Kosciusko County
NW¼, SE¼, NW¼, Section 16, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4584266 North, 606514 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19919

Lake : Little Barbee Lake

Applicant : David M Swihart
123 EMS B61 Lane
Warsaw, IN 46582-6651

Description : A landscape timber seawall will be refaced with a layer on glacial stone across the applicant's 55' frontage. Details of the project are contained in information and plans received at the Division of Water on July 19, 2004 and July 29, 2004.

Location : 123 EMS B61 Lane
near Warsaw, Tippecanoe Township, Kosciusko County
SW¼, NW¼, NE¼, Section 28, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4571617 North, 607396 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-19920
- Lake : Lower Fish Lake
- Applicant : Donald and Doris Cunningham
3980 South 800 East
Walkerton, IN 46574-9416
- Description : A glacial stone seawall will be constructed across 64' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. A 30' x 30' underwater beach will be constructed across 30' of the applicant's 114' frontage by placing a uniform layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on July 22, 2004
- Location : 3980 South 800 East, lot # 36-12-20-479-003

near Walkerton, Lincoln Township, LaPorte County
NE¼, SW¼, SW¼, Section 20, T 36N, R 1W, Stillwell Quadrangle
Quad Code: 4108655
UTM Coordinates: Downstream 4600079 North, 537996 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-19921
- Lake : Kuhn Lake
- Applicant : Arnold and Mary Patten
1655 Hinton Drive
Fort Wayne, IN 46808-3030
- Description : A concrete seawall will be constructed across the applicant's 79' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 23, 2004 and August 10, 2004.
- Location : 3221 North State Road 13, Hartup Subdivision
near Piercetown, Tippecanoe Township, Kosciusko County
SW¼, SW¼, Section 26, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4570827 North, 609668 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19945

Lake : Pike Lake

Applicant : Mike Berger
2280 Sunset Drive
Warsaw, IN 46580-2250

Description : An existing concrete seawall will be refaced across the 240' of the applicants frontage to prevent further deterioration. It will consist of reinforced, poured in place concrete which will be tied to the existing wall with steel rerod. The refacing will have a maximum thickness of 12' and will be sloped on the lakeward side. A 36" wide bed of appeoved stone will be placed in front of the existing seawall prior to refacing to provide support for the refacing and to provide toe protection. There will also be 16' 4x4's driven down every 10' to provide additional support. A 36" walkway will be constructed on the land ward side of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on August 17, 2004

Location : Refacing of seawall will be done at 2280 Sunset Drive on Lot #3&4 of the Bel-Aire Addition
at Warsaw, Wayne Township, Kosciusko County
Section 32, T 22N, R 6E, Leesburg Quadrangle
Quad Code: 4108537

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11